



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 21-Oct-2014

Revision Date 2-Mar-2017

Revision Number 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

Product Name 769 LUBRICANT® AEROSOL

### Other means of identification

Product Code(s) 37341

UN-Number UN1950

Synonyms 769 AEROSOL

### Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products, metal surface treatment product

Uses advised against No information available

### Supplier's details

#### **Manufacturer Address**

Jet-Lube, LLC  
930 Whitmore Dr.  
Rockwall, Texas 75087  
TEL: 972-771-1000  
Toll Free: 1-800-669-6318

### Emergency telephone number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)  
1-800-424-9300 (NORTH AMERICA)

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

|                      |                |
|----------------------|----------------|
| Aspiration Toxicity  | Category 1     |
| Gases under pressure | Compressed gas |

### GHS Label elements, including precautionary statements

#### Emergency Overview

|  |               |
|--|---------------|
| <b>Signal Word</b>   | <b>Danger</b> |
| <b>Hazard Statements</b>   |               |
| <ul style="list-style-type: none"> <li>• May be fatal if swallowed and enters airways</li> <li>• Contains gas under pressure; may explode if heated</li> </ul> |               |

**Appearance** Pale yellow**Physical State** Liquid, Aerosol.**Odor** Petroleum**Precautionary Statements****Prevention**

- None

**General Advice**

- None

**Ingestion**

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

**Storage**

- Store locked up.
- Protect from sunlight. Store in a well-ventilated place

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

Harmful to aquatic life with long lasting effects

11.1% of the mixture consists of ingredient(s) of unknown toxicity.

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Synonyms**

769 AEROSOL

| Chemical Name   | CAS-No     | Weight % | Trade secret |
|---|------------|----------|--------------|
| Petroleum distillates, hydrotreated light               | 64742-47-8 | 60-65    | *            |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | 20-25    | *            |
| Carbamodithioic acid, dibutyl-, methylene ester         | 10254-57-6 | 3-5      | *            |
| Carbon dioxide  | 124-38-9   | 2-5      | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of necessary first-aid measures****General Advice**

Show this safety data sheet to the doctor in attendance.

**Eye Contact**

Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Skin Contact**

Wash skin with soap and water. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

|                                   |  |
|-----------------------------------|--|
| <b>Inhalation</b>                 | Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.  |
| <b>Ingestion</b>                  | Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| <b>Protection of First-aiders</b> | Use personal protective equipment.   |

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** No information available.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Move containers from fire area if you can do it without risk.

**Unsuitable Extinguishing Media** No information available.

**Specific Hazards Arising from the Chemical**

Ruptured cylinders may rocket. Cylinders may rupture under extreme heat.

**Explosion Data**

|   |       |
|---|-------|
| <b>Sensitivity to Mechanical Impact</b> | None. |
| <b>Sensitivity to Static Discharge</b>  | Yes.  |

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition.

**Environmental Precautions**

**Environmental Precautions** Local authorities should be advised if significant spillages cannot be contained. Avoid release to the environment. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

**Methods for Cleaning Up**

If possible, turn leaking containers so that gas escapes rather than liquid. Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling** Remove all sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from incompatible materials.

**Incompatible Products** Strong oxidizing agents.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

| Chemical Name  | ACGIH TLV   | OSHA PEL   | NIOSH IDLH  |
|--|---|--|---|
| Petroleum distillates, hydrotreated light<br>64742-47-8                  | TWA: 5 mg/m <sup>3</sup><br>STEL: 10 mg/m <sup>3</sup><br>(as oil mist)   | TWA: 5 mg/m <sup>3</sup><br>(as oil mist)  | -   |
| Petroleum distillates, solvent dewaxed<br>heavy paraffinic<br>64742-65-0 | TWA: 5 mg/m <sup>3</sup> , as oil mist,<br>mineral<br>STEL: TWA: 10 mg/m <sup>3</sup> , as oil<br>mist, mineral | TWA: 5 mg/m <sup>3</sup> , as oil mist,<br>mineral   | -   |
| Carbon dioxide<br>124-38-9   | STEL = 30000 ppm<br>TWA: 5000 ppm   | TWA: 5000 ppm<br>TWA: 9000 mg/m <sup>3</sup> (vacated)<br>TWA: 10000 ppm (vacated)<br>TWA: 18000 mg/m <sup>3</sup> (vacated)<br>STEL: 30000 ppm (vacated)<br>STEL: 54000 mg/m <sup>3</sup> | IDLH: 40000 ppm<br>TWA: 5000 ppm<br>TWA: 9000 mg/m <sup>3</sup><br>STEL: 30000 ppm<br>STEL: 54000 mg/m <sup>3</sup> |

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection** Long sleeved clothing. Protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

**Physical State** Liquid, Aerosol  
**Odor** Petroleum

**Appearance** Pale yellow.  
**Odor Threshold** No information available

| Property                    | Values            | Remarks/ - Method |
|-----------------------------|-------------------|-------------------|
| pH                          | Neutral           | None known        |
| Melting Point/Range         | -50 °C            | None known        |
| Boiling Point/Boiling Range | 199-260 °C        | None known        |
| Flash Point                 | > 75 °C           | None known        |
| Evaporation rate            | No data available | None known        |
| Flammability (solid, gas)   | No data available | None known        |
| Flammability Limits in Air  |                   |                   |
| upper flammability limit    | No data available |                   |
| lower flammability limit    | No data available |                   |
| Vapor Pressure              | No data available | None known        |
| Vapor Density               | No data available | None known        |
| Specific Gravity            | 0.83              | None known        |
| Water Solubility            | Slightly soluble  | None known        |

|   |                     |            |
|---|---------------------|------------|
| <b>Solubility in other solvents</b>           | Completely soluble  | None known |
| <b>Partition coefficient: n-octanol/water</b> | 3.3-6               | None known |
| <b>Autoignition Temperature</b>               | No data available   | None known |
| <b>Decomposition Temperature</b>              | No data available   | None known |
| <b>Viscosity</b>                              | 4.5 -6 cSt (@ 40°C) | None known |

**Flammable Properties** Not flammable

**Explosive Properties** No data available

**Oxidizing Properties** No data available

#### Other information

**VOC Content (%)** 0 g/L

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Heat, flames and sparks. Incompatible products.

#### Incompatible materials

Strong oxidizing agents.

#### Hazardous decomposition products

None under normal use.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

|                            |   |
|----------------------------|---|
| <b>Product Information</b> | Product does not present an acute toxicity hazard based on known or supplied information. |
| <b>Inhalation</b>          | Vapors may irritate throat and respiratory system.  |
| <b>Eye Contact</b>         | Contact with eyes may cause irritation.   |
| <b>Skin Contact</b>        | Repeated exposure may cause skin dryness or cracking.                                     |
| <b>Ingestion</b>           | Potential for aspiration if swallowed.  |

| Chemical Name   | LD50 Oral            | LD50 Dermal             | LC50 Inhalation        |
|---|----------------------|-------------------------|------------------------|
| Petroleum distillates, hydrotreated light               | > 5000 mg/kg ( Rat ) | > 2000 mg/kg ( Rabbit ) | > 5.2 mg/L ( Rat ) 4 h |
| Petroleum distillates, solvent dewaxed heavy paraffinic | -                    | -                       | >4.7 mg/l (rat) 4 hr.  |
| Carbon dioxide  | -                    | -                       | 470000 ppm (Rat)       |

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization** No information available.  
**Mutagenic Effects** No information available.  
**Carcinogenicity** The full refining history is known for this product and it can be shown that the substance from which it is produced is not a carcinogen.

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|---|-------|---------|-----|------|
| Petroleum distillates, solvent dewaxed heavy paraffinic | A2    | Group 1 |     | X    |

**ACGIH: (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC: (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**OSHA: (Occupational Safety & Health Administration)**

X - Present

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product**

**Acute Toxicity** 11.1% of the mixture consists of ingredient(s) of unknown toxicity.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

| Chemical Name  | Toxicity to Algae | Toxicity to Fish  | Toxicity to Microorganisms | Daphnia Magna (Water Flea)                          |
|--|-------------------|---|----------------------------|---|
| Petroleum distillates, hydrotreated light 64742-47-8               |                   | LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss) |                            | LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda) |
| Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0 |                   | LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)  |                            | EC50 48 h: > 1000 mg/L (Daphnia magna)              |

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Other Adverse Effects**

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

|                                  |
|----------------------------------|
| <b>14. TRANSPORT INFORMATION</b> |
|----------------------------------|

**DOT**

|  |                       |
|--|-----------------------|
| <b>UN-Number</b>                       | UN1950                |
| <b>Proper shipping name</b>            | Aerosols              |
| <b>Hazard Class</b>                    | 2.2                   |
| <b>Description</b>                     | UN1950, Aerosols, 2.2 |
| <b>Emergency Response Guide Number</b> | 126                   |

**TDG**

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-Number</b>            | UN1950                |
| <b>Proper Shipping Name</b> | Aerosols              |
| <b>Hazard Class</b>         | 2.2                   |
| <b>Description</b>          | UN1950, Aerosols, 2.2 |

**MEX**

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-Number</b>            | UN1950                |
| <b>Proper Shipping Name</b> | Aerosols              |
| <b>Hazard Class</b>         | 2.2                   |
| <b>Description</b>          | UN1950, Aerosols, 2.2 |

**ICAO**

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-Number</b>            | UN1950                |
| <b>Proper shipping name</b> | Aerosols              |
| <b>Hazard Class</b>         | 2.2                   |
| <b>Description</b>          | UN1950, Aerosols, 2.2 |

**IATA**

|                             |                                      |
|-----------------------------|--------------------------------------|
| <b>UN-Number</b>            | UN1950                               |
| <b>Proper Shipping Name</b> | Aerosols, non-flammable              |
| <b>Hazard Class</b>         | 2.2                                  |
| <b>ERG Code</b>             | 2L                                   |
| <b>Description</b>          | UN1950, Aerosols, non-flammable, 2.2 |

**IMDG/IMO**

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>UN-Number</b>            | UN1950                           |
| <b>Proper Shipping Name</b> | Aerosols                         |
| <b>Hazard Class</b>         | 2                                |
| <b>Subsidiary Class</b>     | See SP63                         |
| <b>EmS No.</b>              | F-D, S-U                         |
| <b>Description</b>          | UN1950, Aerosols, 2.2 (See SP63) |

**RID**

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-Number</b>            | UN1950                |
| <b>Proper Shipping Name</b> | Aerosols              |
| <b>Hazard Class</b>         | 2                     |
| <b>Classification Code</b>  | 5A                    |
| <b>Description</b>          | UN1950, Aerosols, 2.2 |

**ADR**

|                                |                            |
|--------------------------------|----------------------------|
| <b>UN-Number</b>               | UN1950                     |
| <b>Proper Shipping Name</b>    | Aerosols                   |
| <b>Hazard Class</b>            | 2                          |
| <b>Classification Code</b>     | 5A                         |
| <b>Tunnel Restriction Code</b> | (E)                        |
| <b>Description</b>             | UN1950, Aerosols, 2.2, (E) |

**ADN**

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-No</b>                | UN1950                |
| <b>Proper Shipping Name</b> | Aerosols              |
| <b>Hazard Class</b>         | 2                     |
| <b>Classification Code</b>  | 5A                    |
| <b>Special Provisions</b>   | 190, 327, 344, 625    |
| <b>Description</b>          | UN1950, Aerosols, 2.2 |
| <b>Limited Quantity</b>     | 1 L                   |
| <b>Ventilation</b>          | VE04                  |

**15. REGULATORY INFORMATION****International Inventories****Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

|  |     |
|--|-----|
| <b>Acute Health Hazard</b>               | No  |
| <b>Chronic Health Hazard</b>             | No  |
| <b>Fire Hazard</b>                       | No  |
| <b>Sudden Release of Pressure Hazard</b> | Yes |
| <b>Reactive Hazard</b>                   | No  |

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

| Chemical Name   | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|---|------------|---------------|--------------|----------|--------------|
| Petroleum distillates, solvent dewaxed heavy paraffinic |            |               |              | X        |              |
| Carbon dioxide  | X          | X             | X            | -        | X            |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

|                    |                 |                |                   |  |
|--------------------|-----------------|----------------|-------------------|--|
| <b><u>NFPA</u></b> | Health Hazard 2 | Flammability 0 | Instability 0     | Physical and Chemical Hazards -<br>Personal Protection X |
| <b><u>HMIS</u></b> | Health Hazard 2 | Flammability 0 | Physical Hazard 0 |  |



**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 21-Oct-2014  
**Revision Date** 2-Mar-2017  
**Revision Note** Updated company information

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**