



SAFETY DATA SHEET
According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

1. IDENTIFICATIONProduct identifier

Product name LACTUCA MS 5000 S

Other means of identification

Product Code(s) 083914

Number 7KS
Substance/mixture MixtureRecommended use of the chemical and restrictions on use

Identified uses Cutting fluid.

Uses advised against Do not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheetSupplier Address TOTAL Specialties USA Inc
1201 Louisiana Street, Suite 1800
Houston, TX 77002
Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

Emergency telephone number

Company Phone Number

+1 (908) 862-9300

Emergency telephone

CHEMTREC: +1 800 424 9300 (24h)

2. HAZARDS IDENTIFICATIONClassificationAcute Toxicity - Oral - Category 4
Acute Toxicity - Dermal - Category 3
Acute toxicity - Inhalation (Vapors) - Category 4
Skin corrosion/irritation - Category 2
Serious eye damage/eye irritation - Category 1
Respiratory Sensitization - Category 1
Skin sensitization - Category 1Label elements

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

**DANGER****Hazard Statements**

Harmful if swallowed

Harmful if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Toxic in contact with skin

Causes skin irritation

Causes serious eye damage

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

In case of inadequate ventilation wear respiratory protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Take off contaminated clothing and wash before reuse

IF ON SKIN: Wash with plenty of soap and water

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Unknown Acute Toxicity

Not applicable

Hazards not otherwise classified (HNOC)

• None known

Other information**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.**Environmental properties** Should not be released into the environment.**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name | CAS-No | Weight % |
|--|------------|----------|
| Sodium 2-[2-[2-(tetradecyloxy)ethoxy]ethoxy]ethyl sulphate | 25446-80-4 | <1.5 |
| Alkylated imidazoline | ^ | <1.5 |
| Ethoxylated alcohol | 78330-21-9 | <1.0 |
| Ethanol | 64-17-5 | <1.0 |
| morpholine | 110-91-8 | < 0.1 |
| 4-(2-nitrobutyl)morpholine | 2224-44-4 | < 0.1 |
| 4,4'-(2-ethyl-2-nitropropane-1,3-diyl)bismorpholine | 1854-23-5 | <0.1 |
| 1-nitropropane | 108-03-2 | < 0.1 |

4. FIRST AID MEASURES**First aid measures for different exposure routes**

| | |
|-----------------------|--|
| General advice | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Allergic symptoms may develop within 12 hours after exposure. |
| Inhalation | Call a physician or Poison Control Center immediately. Remove from exposure, lie down. Artificial respiration and/or oxygen may be necessary. |
| Ingestion | Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. Do not induce vomiting without medical advice. Rinse mouth. |

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Most important symptoms/effects, acute and delayed

| | |
|---------------------|--|
| Skin contact | Toxic in contact with skin. May cause an allergic skin reaction. |
| Eye contact | Causes serious eye damage. |
| Inhalation | Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Ingestion | Harmful if swallowed. |
| Symptoms | Redness. Asthma-like and/ or skin allergy-like symptoms. Difficulty breathing. Coughing and/ or wheezing. Burning. Rashes. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. |

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| <u>Suitable Extinguishing Media</u> | Use CO2, dry chemical, or foam. |
| <u>Unsuitable Extinguishing Media</u> | Do not use a solid water stream as it may scatter and spread fire. |
| <u>Special Hazard</u> | Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. |
| <u>Explosion Data</u> | |
| <u>Sensitivity to Mechanical Impact</u> | None. |
| <u>Sensitivity to Static Discharge</u> | None. |
| <u>Protective Equipment and Precautions for Firefighters</u> | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel. |

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

| | |
|---|---|
| General Information | Evacuate personnel to safe areas. Avoid contact with the skin and the eyes. Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged packages or spilled material. Do not touch or walk through spilled material. Remove all sources of ignition. |
| Other information | See Section 12 for additional information. |
| <u>Environmental precautions</u> | |
| General Information | Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. |

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Methods and materials for containment and cleaning up**Methods for cleaning up**

Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on safe handling**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures

When using, do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Regular cleaning of equipment, work area and clothing is recommended. Avoid breathing vapors, mist or gas.

Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Store in original container.

Materials to Avoid

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure limits**

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|------------------|---|---|
| Ethanol 64-17-5 | STEL 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ |
| morpholine 110-91-8 | S* TWA 20 ppm | TWA: 20 ppm TWA: 70 mg/m ³ (vacated) TWA: 20 ppm (vacated) TWA: 70 mg/m ³ (vacated) STEL: 30 ppm (vacated) STEL: 105 mg/m ³ (vacated) S* S* | IDLH: 1400 ppm TWA: 20 ppm TWA: 70 mg/m ³ STEL: 30 ppm STEL: 105 mg/m ³ |
| 1-nitropropane 108-03-2 | TWA 25 ppm | TWA: 25 ppm TWA: 90 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 90 mg/m ³ | IDLH: 1000 ppm TWA: 25 ppm TWA: 90 mg/m ³ |

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Exposure controls**Engineering Measures** Apply technical measures to comply with the occupational exposure limits.**Individual protection measures, such as personal protective equipment****General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.**Eye/Face Protection** If splashes are likely to occur, wear: Safety glasses with side-shields.**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots.**Hand Protection** Protective gloves. Impervious gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.**Hygiene measures** When using, do not eat, drink or smoke. Wear suitable gloves and eye/face protection. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Regular cleaning of equipment, work area and clothing is recommended. Avoid breathing vapors, mist or gas.**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical and chemical properties**

| | |
|-----------------------------|--------------------------|
| Color | amber |
| Physical State @20°C | liquid |
| Odor | Strong |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|------------------------------------|-----------------------|--------------------------|---|
| pH | | Not applicable | |
| Melting point/range | | No information available | |
| Boiling point/boiling range | | Not applicable | |
| Flash point | > 93.0 °C > 199 °F | | Cleveland Open Cup (COC) Cleveland Open Cup (COC). |
| Evaporation rate | | No information available | |
| Flammability Limits in Air | | No information available | |

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

| | | | |
|---|------------------------|--------------------------|------------|
| upper | - | No information available | |
| Lower | - | No information available | |
| Vapor Pressure | | No information available | |
| Vapor density | | No information available | |
| Relative density | 0.87 | @ 15 °C | |
| Density | 870 kg/m ³ | @ 15 °C | |
| Water solubility | | soluble | |
| Solubility in other solvents | | No information available | |
| logPow | | No information available | |
| Autoignition temperature | | No information available | |
| Decomposition temperature | | No information available | |
| Viscosity, kinematic | ~25 mm ² /s | @ 40 °C | ASTM D 445 |
| Explosive properties | Not explosive | | |
| Oxidizing Properties | Not applicable | | |
| Possibility of hazardous reactions | Not applicable | | |
| Other information | | | |
| Specific Gravity | 0.87 | @ 15 °C | |
| Freezing Point | | No information available | |
| Pour point | < -10 | | ASTM D 97 |

10. STABILITY AND REACTIVITY

| | |
|--|---|
| <u>Reactivity</u> | No information available. |
| <u>Chemical stability</u> | Stable under recommended storage conditions. |
| <u>Possibility of hazardous reactions</u> | None under normal processing. |
| <u>Conditions to Avoid</u> | Heat, flames and sparks. Take precautionary measures against static discharges. |
| <u>Incompatible Materials</u> | Strong oxidizing agents. |
| <u>Hazardous Decomposition Products</u> | None under normal use. |

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

Numerical measures of toxicity - Product Information**Component Information**

Version GNAM

SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|--------------------------------|-------------------------|--|
| Ethanol 64-17-5 | = 7060 mg/kg (Rat) | | |
| morpholine 110-91-8 | 1900 mg/kg bw (rat - OECD 401) | - | 35.1 mg/l air 1h (rat - vapour - OECD 403) |
| 4-(2-nitrobutyl)morpholine 2224-44-4 | 620 mg/kg (rat) | | > 2.33 mg/l 4h (rat-aerosol) |
| 1-nitropropane 108-03-2 | 506 mg/kg (rat) | > 2000 mg/kg (Rabbit) | 11.02 mg/l (rat - vapour) 1h |

Information on toxicological effects

| | |
|---------------------|--|
| Symptoms | Redness. Asthma-like and/ or skin allergy-like symptoms. Difficulty breathing. Coughing and/ or wheezing. Burning. Rashes. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. |
| Skin contact | Toxic in contact with skin. May cause an allergic skin reaction. |
| Eye contact | Causes serious eye damage. |
| Inhalation | Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| Ingestion | Harmful if swallowed. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Irritating to skin. |
| Serious eye damage/eye irritation | Risk of serious damage to eyes. |
| Sensitization | May cause sensitization by inhalation. Contains sensitizer(s). May cause an allergic skin reaction. |
| Carcinogenicity | This product is not classified carcinogenic. The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------|-------|------|-----|------|
| Ethanol 64-17-5 | A3 | 1 | | X |

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration) X - Present

| | |
|------------------------------|--|
| Mutagenicity | This product is not classified as mutagenic. |
| Reproductive toxicity | This product does not present any known or suspected reproductive hazards. |
| Other adverse effects | Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed. |
| Aspiration Hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates | Toxicity to microorganisms |
|---|--|---|---|---|
| Ethoxylated alcohol 78330-21-9 | | | EC50(48h) > 1 mg/l (Daphnia magna - CESIO) | |
| Ethanol 64-17-5 | | LC50 (96h) 12.0 - 16.0 mL/L Oncorhynchus mykiss (static) LC50 (96h) 13400 - 15100 mg/L Pimephales promelas (flow-through) LC50 (96h) > 100 mg/L Pimephales promelas (static) | EC50 (48h) = 2 mg/L Daphnia magna Static EC50 (24h) = 10800 mg/L Daphnia magna LC50 (48h) 9268 - 14221 mg/L Daphnia magna | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min |
| morpholine 110-91-8 | EC50 (96h) 28 mg/L Pseudokirchneriella subcapitata | LC50 (96h) 180 - 380 mg/l Oncorhynchus mykiss | EC50 (48h) 45 mg/l Daphnia magna (OECD 202) | |
| 4-(2-nitrobutyl)morpholine 2224-44-4 | ErC50 (96h) 0.844 mg/l/Pseudokirchneriella subcapitata | LC50 (96h) 1.1-2.3 mg/l Oncorhynchus mykiss | EC50 (48h) 1.9-3.2 mg/l daphnia magna | |
| 1-nitropropane 108-03-2 | ErC50 (72h) 456 mg/l EyC50 (72h) 263 mg/l Pseudokirchnerella subcapitata (OECD 201) | LC50 (96h) 227 mg/l | EC50 (48h) 380 mg/l Daphnia magna (OECD 202) | |

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

| Chemical Name | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates | Toxicity to fish | Toxicity to microorganisms |
|---|--|---|---|----------------------------|
| morpholine 110-91-8 | | NOEC (21d) 5 mg/l daphnia magna (OECD 211) | | |
| 4-(2-nitrobutyl)morpholine 2224-44-4 | | NOEC (48h) 1.8 mg/l daphnia magna | | |
| 1-nitropropane 108-03-2 | NOEC (72/96h) 15 - 219 mg/l Pseudokirchnerella subcapitata (OECD 201) | NOEC (96h) 192 mg/l Daphnia magna (OECD 202) | NOEC (96h) 91 mg/l Oncorhynchus mykiss (OECD 203) | |

Effects on terrestrial organisms No experimental data available .**Persistence and degradability****General Information** No information available.

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

Bioaccumulative potential**Product Information** No information available.**logPow** No information available**Component Information**

| Chemical Name | log Pow |
|--|---------|
| Ethanol 64-17-5 | -0.35 |
| morpholine 110-91-8 | <3 |
| 4-(2-nitrobutyl)morpholine 2224-44-4 | 1.12 |
| 4,4'-(2-ethyl-2-nitropropane-1,3-diyl)bismorpholine 1854-23-5 | 1.98 |
| 1-nitropropane 108-03-2 | 0.79 |

Mobility**Soil** No information available**Other adverse effects****General Information** No information available**13. DISPOSAL CONSIDERATIONS****Waste treatment****Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging

Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|--------------------|-----------------------------------|
| Ethanol 64-17-5 | Toxic Ignitable |

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

14. TRANSPORT INFORMATION

| | |
|------------------|---------------|
| <u>DOT</u> | Not regulated |
| <u>TDG</u> | Not regulated |
| <u>MEX</u> | Not regulated |
| <u>ICAO/IATA</u> | Not regulated |
| <u>IMDG/IMO</u> | Not regulated |
| <u>ADR/RID</u> | Not regulated |
| <u>ADN</u> | Not regulated |

15. REGULATORY INFORMATION

International Inventories All the substances contained in this product are listed or exempted from listing in the following inventories:
U.S.A. (TSCA)

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Version GNAM



SDS # : 083914

LACTUCA MS 5000 S

Date of the previous version: not applicable

Revision Date: 2015-08-10

Version 1

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

Unknown

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION

| | | | | |
|-------------|------------------------|-----------------------|--------------------------|--|
| NFPA | Health Hazard 3 | Flammability 1 | Instability 0 | Physical and chemical hazards - |
| HMIS | Health Hazard 3 | Flammability 1 | Physical Hazard 0 | Personal protection b |

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2015-08-10
Revision Note *** Indicates updated section
Abbreviations, acronyms

Legend

Section 8
 ACGIH - American Conference of Governmental Industrial Hygienists
 OSHA - Occupational Safety and Health Administration
 NIOSH - National Institute for Occupational Safety and Health
 TLV - Threshold Limit Values
 PEL - Permissible Exposure Limits
 IDHL - Immediately Dangerous to Life or Health concentrations
 TWA - Time Weight Average
 STEL - Short Term Exposure Limits
 S* - Skin notation
 TSCA - Toxic Substance Control Act

Version GNAM



SDS # : 083914**LACTUCA MS 5000 S****Date of the previous version:** not applicable**Revision Date:** 2015-08-10**Version** 1

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet

Version GNAM