

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS #: 083943 NEPTUNA 2T SUPER SPORT

Date of the previous version: not applicable **Revision Date:** 2015-10-06 **Version** 1

1. IDENTIFICATION

Product identifier

Product name NEPTUNA 2T SUPER SPORT

Other means of identification

Product Code(s) 083943

Number LJ3 Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Engine oil.

Uses advised againstDo not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc

1201 Louisiana Street, Suite 1800

Houston, TX 77002 Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

Emergency telephone number

Company Phone Number +1 (908) 862-9300

Emergency telephone CHEMTREC: +1 800 424 9300 (24h)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists) - Category 4 Skin corrosion/irritation - Category 2 Carcinogenicity - Category 2

Specific target organ systemic toxicity (repeated exposure) - Category 2

Label elements



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1





WARNING

Causes skin irritation
Suspected of causing cancer
May cause damage to organs through prolonged or repeated exposure
Harmful if inhaled

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Specific treatment (see Section 4 on this label)
IF exposed or concerned: Get medical advice/attention
Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

Unknown Acute Toxicity

No information available

Hazards not otherwise classified (HNOC)

None known

Other information

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.



SDS #: 083943 NEPTUNA 2T SUPER SPORT

Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Fuels, diesel, no. 2	68476-34-6	5-25

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Show this material safety data sheet to the doctor in

attendance. Do not breathe dust/fume/gas/mist/vapors/spray. IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Remove and wash contaminated clothing before re-use. If symptoms

persist, call a physician.

Inhalation If not breathing, give artificial respiration. IF INHALED: Remove to fresh air and keep at rest

in a position comfortable for breathing. If symptoms persist, call a physician. Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.

Ingestion Drink plenty of water. If symptoms persist, call a physician. Clean mouth with water. Never

give anything by mouth to an unconscious person. Consult a physician. If swallowed, do not

induce vomiting - seek medical advice.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Skin contact Causes skin irritation.

Eye contact Not classified.

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Suspected of causing cancer. May cause damage to organs through prolonged or repeated

exposure. Product may cure in the gastrointestinal tract and form an obstruction.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Difficulty breathing. Coughing and/ or wheezing. Itching. Disorientation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Foam. Carbon dioxide (CO₂). ABC powder.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

<u>Special Hazard</u> Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Use personal protective equipment. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak. Do not touch or walk through spilled material. Contaminated

surfaces will be extremely slippery.

Other information See Section 12 for additional information.

Environmental precautions

General Information Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses. See Section 12 for additional

Ecological Information.

Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for

disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use mechanical means such as pumps,

skimmers and absorbent materials.

7. HANDLING AND STORAGE

Precautions for safe handling



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

Advice on safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Prevent the formation of vapors, mists and aerosols. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist.

Hygiene measures

When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from direct sunlight.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Fuels, diesel, no. 2	S*	-	
68476-34-6	TWA 100 mg/m ³		

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

General Information Protective engineering solutions should be implemented and in use before personal

protective equipment is considered.

Eye/Face Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.



Date of the previous version: not applicable **Revision Date:** 2015-10-06 **Version** 1

Hand Protection Impervious gloves. Protective gloves. Please observe the instructions regarding

permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such

as the danger of cuts, abrasion, and the contact time.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use. Provide regular cleaning of equipment, work area and clothing. Ensure the

application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Color blue Physical State @20°C liquid

Odor Petroleum distillates

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks</u> <u>Method</u>

oH Not applicable

Melting point/range No information available

Boiling point/boiling range Not applicable

Flash point 280 °C Cleveland Open Cup (COC) 536 °F Cleveland Open Cup (COC).

Evaporation rate

No information available

Flammability Limits in Air
upper - No information available
Lower - No information available
No information available
No information available
No information available

Vapor density
No information available

 Relative density
 0.863
 @ 15 °C
 ASTM D 1298

 Density
 863 kg/m³
 @ 15 °C

Water solubility Not applicable

Solubility in other solvents

No information available logPow

No information available



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

Autoignition temperature

Decomposition temperature

Viscosity, kinematic 54.5 mm2/s
Explosive properties Not explosive
Oxidizing Properties Not applicable
Possibility of hazardous reactions Not applicable

Other information

<u>Other information</u>

0.863

@ 15 °C

@ 40 °C

Not applicable

ASTM D 1298

ASTM D 445

Specific Gravity Freezing Point

No information available

No information available

Pour point -33 °C ASTM D 97

10. STABILITY AND REACTIVITY

Reactivity No information available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

Conditions to Avoid Heat, flames and sparks. Take precautionary measures against static discharges. Heat

(temperatures above flash point), sparks, ignition points, flames, static electricity. Strong

oxidizing agents.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.

Numerical measures of toxicity - Product Information

ATEmix (oral) 8004 mg/kg ATEmix (dermal) 20004 mg/kg

Inhalation

ATEmix (inhalation-dust/mist) 6 mg/l ATEmix (inhalation-vapor) 44 mg/l

Component Information



Date of the previous version: not applicable **Revision Date:** 2015-10-06 **Version** 1

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fuels, diesel, no. 2	LD50 > 2000 mg/kg bw (rat - OECD	LD50 > 5000 mg/kg bw (rabbit -	LC50 (4h) > 4.10 mg/l (aerosol) (rat
68476-34-6	401)	OECD 434)	- OECD 403)

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Difficulty breathing. Coughing and/ or wheezing. Itching. Disorientation.

Skin contact Causes skin irritation.

Eye contact Not classified.

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Suspected of causing cancer. May cause damage to organs through prolonged or repeated

exposure. Product may cure in the gastrointestinal tract and form an obstruction.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Sensitization CarcinogenicityNot classified as a sensitizer.
Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Fuels, diesel, no. 2	A3			
68476-34-6				

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicitySTOT - repeated exposure
This product does not present any known or suspected reproductive hazards. May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life

Toxic to aquatic life with long lasting effects

Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and	Toxicity to
			other aquatic invertebrates	microorganisms



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

Fuels, diesel, no. 2	EL50 (72 h) 22 mg/l	LL50 (96 h) 21 mg/l	EL50 (48 h) 68 mg/l	
68476-34-6	(Pseudokirchnerella	(Oncorhynchus mykiss -	(Daphnia magna - OECD	
	subcapitata - OECD 201)	OECD 203)	202)	
	EL50 (72 h) 2.9 mg/l	LL50 (96 h) 3.2 mg/l	EL50 (48 h) 5.3 mg/l	
	(Pseudokirchnerella	(Menidia beryllina – US	(Daphnia magna - OECD	
	subcapitata - OECD 201)	EPA/600/4-85/013)	202)	

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and	Toxicity to fish	Toxicity to
		other aquatic invertebrates		microorganisms
Fuels, diesel, no. 2		NOEL (21d) 0.2 mg/l	NOEL (14/28d) 0.083 mg/l	
68476-34-6		(Daphnia magna - OECD	(Oncorhynchus mykiss -	
		211)	QSAR Petrotox)	

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

General Information No information available.

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information No information available.

Mobility

Soil No information available

Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local

regulations.

Contaminated packaging Dispose of in accordance with local regulations.



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

Environmental hazard Yes

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories All the substances contained in this product are listed or exempted from listing in the

following inventories:

U.S.A. (TSCA)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard no
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois
Fuels, diesel, no. 2		X		
68476-34-6				

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and chemical hazards -

HMIS Health Hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2015-10-06

Revision Note *** Indicates updated section

Abbreviations, acronyms

Legend Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act



Date of the previous version: not applicable Revision Date: 2015-10-06 Version 1

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet